



PTO/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete If Known	
				Application Number	10/787,121
				Filing Date	February 27, 2004
				First Named Inventor	John T. Moore
				Art Unit	2812
				Examiner Name	Not Yet Assigned
Sheet	1	of	3	Attorney Docket Number	M4065.0564/P564-A

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code ² (if known)			
W	A	US 2004/0035401	2/2004	Ramachandran et al.	
	B	US 2003/0212724	11/2003	Ovshinsky et al.	
	C	US 2003/0048744	3/2003	Ovshinsky et al.	
	D	US 2003/0212725	11/2003	Ovshinsky et al.	
	E	US RE 37,259E	7/2001	Ovshinsky	
	F	US 3,271,591	9/1966	Ovshinsky	
	G	US 3,961,314	6/1976	Klose et al.	
	H	US 3,966,317	6/1976	Wacks et al.	
	I	US 3,983,542	11/1976	Ovshinsky	
	J	US 3,988,720	10/1976	Ovshinsky	
	K	US 4,177,474	12/1979	Ovshinsky	
	L	US 4,267,261	5/1981	Hallman et al.	
	M	US 4,597,162	7/1986	Johnson et al.	
	N	US 4,608,296	8/1986	Keem et al.	
	O	US 4,637,895	1/1987	Ovshinsky et al.	
	P	US 4,646,266	2/1987	Ovshinsky et al.	
	Q	US 4,664,939	5/1987	Ovshinsky	
	R	US 4,668,968	5/1987	Ovshinsky et al.	
	S	US 4,670,763	6/1987	Ovshinsky et al.	
	T	US 4,673,957	6/1987	Ovshinsky et al.	
	U	US 4,678,679	7/1987	Ovshinsky	
	V	US 4,696,758	9/1987	Ovshinsky et al.	
	W	US 4,698,234	10/1987	Ovshinsky et al.	
	X	US 4,710,899	12/1987	Young et al.	
	Y	US 4,728,406	3/1988	Banerjee et al.	
	Z	US 4,737,379	4/1988	Hudgens et al.	
	A1	US 4,766,471	8/1988	Ovshinsky et al.	
	B1	US 4,769,338	9/1988	Ovshinsky et al.	
	C1	US 4,775,425	10/1988	Guha et al.	
	D1	US 4,788,594	11/1988	Ovshinsky et al.	
	E1	US 4,809,044	2/1989	Pryor et al.	
	F1	US 4,818,717	4/1989	Johnson et al.	
	G1	US 4,843,443	6/1989	Ovshinsky et al.	
	H1	US 4,845,533	7/1989	Pryor et al.	
	I1	US 4,853,785	8/1989	Ovshinsky et al.	
	J1	US 4,891,330	1/1990	Guha et al.	
	K1	US 5,128,099	7/1992	Strand et al.	
	L1	US 5,159,661	10/1992	Ovshinsky et al.	
	M1	US 5,166,758	11/1992	Ovshinsky et al.	
	N1	US 5,177,567	1/1993	Klersy et al.	
	O1	US 5,296,716	3/1994	Ovshinsky et al.	
	P1	US 5,335,219	8/1994	Ovshinsky et al.	
✓	Q1	US 5,359,205	10/1994	Ovshinsky	
✓	R1	US 5,341,328	8/1994	Ovshinsky et al.	
✓	S1	US 5,406,509	4/1995	Ovshinsky et al.	

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/787,121
				Filing Date	February 27, 2004
				First Named Inventor	John T. Moore
				Art Unit	2812
				Examiner Name	Not Yet Assigned
Sheet	2	of	3	Attorney Docket Number	M4065.0564/P564-A

T1	US 5,414,271	5/1995	Ovshinsky et al.
U1	US 5,534,711	7/1996	Ovshinsky et al.
V1	US 5,534,712	7/1996	Ovshinsky et al.
W1	US 5,536,947	7/1996	Klersy et al.
X1	US 5,543,737	8/1996	Ovshinsky
Y1	US 5,591,501	1/1997	Ovshinsky et al.
Z1	US 5,596,522	1/1997	Ovshinsky et al.
A2	US 5,687,112	11/1997	Ovshinsky
B2	US 5,694,054	12/1997	Ovshinsky et al.
C2	US 5,714,768	2/1998	Ovshinsky et al.
D2	US 5,825,046	10/1998	Czubatyj et al.
E2	US 5,912,839	6/1999	Ovshinsky et al.
F2	US 5,933,365	8/1999	Klersy et al.
G2	US 6,011,757	1/2000	Ovshinsky
H2	US 6,087,674	7/2000	Ovshinsky et al.
I2	US 6,141,241	10/2000	Ovshinsky et al.
J2	US 6,339,544	1/2002	Chiang et al.
K2	US 6,404,665	6/2002	Lowery et al.
L2	US 6,429,064	8/2002	Wicker
M2	US 6,437,383	8/2002	Xu
N2	US 6,462,984	10/2002	Xu et al.
O2	US 6,480,438	11/2002	Park
P2	US 6,487,113	11/2002	Park et al.
Q2	US 6,501,111	12/2002	Lowery
R2	US 6,507,061	1/2003	Hudgens et al.
S2	US 6,511,862	1/2003	Hudgens et al.
T2	US 6,511,867	1/2003	Lowery et al.
U2	US 6,512,241	1/2003	Lai
V2	US 6,514,805	2/2003	Xu et al.
W2	US 6,531,373	3/2003	Gill et al.
X2	US 6,534,781	3/2003	Dennison
Y2	US 6,545,287	4/2003	Chiang
Z2	US 6,545,907	4/2003	Lowery et al.
A3	US 6,555,860	4/2003	Lowery et al.
B3	US 6,563,164	5/2003	Lowery et al.
C3	US 6,566,700	5/2003	Xu
D3	US 6,567,293	5/2003	Lowery et al.
E3	US 6,569,705	5/2003	Chiang et al.
F3	US 6,570,784	5/2003	Lowery
G3	US 6,576,921	6/2003	Lowery
H3	US 6,586,761	7/2003	Lowery
I3	US 6,589,714	7/2003	Maimon et al.
J3	US 6,590,807	7/2003	Lowery
K3	US 6,593,176	7/2003	Dennison
L3	US 6,597,009	7/2003	Wicker
M3	US 6,605,527	8/2003	Dennison et al.
N3	US 6,613,604	9/2003	Maimon et al.
O3	US 6,621,095	9/2003	Chiang et al.
P3	US 6,625,054	9/2003	Lowery et al.
Q3	US 6,642,102	11/2003	Xu

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/787,121
				Filing Date	February 27, 2004
				First Named Inventor	John T. Moore
				Art Unit	2812
				Examiner Name	Not Yet Assigned
Sheet	3	of	3	Attorney Docket Number	M4065.0564/P564-A

<input checked="" type="checkbox"/>	R3	US 6,646,297	11/2003	Dennison	
<input checked="" type="checkbox"/>	S3	US 6,649,928	11/2003	Dennison	
<input checked="" type="checkbox"/>	T3	US 6,667,900	12/2003	Lowery et al.	
<input checked="" type="checkbox"/>	U3	US 6,671,710	12/2003	Ovshinsky et al.	
<input checked="" type="checkbox"/>	V3	US 6,673,848	1/2004	Lowrey	
<input checked="" type="checkbox"/>	W3	US 6,673,700	1/2004	Dennison et al.	
<input checked="" type="checkbox"/>	X3	US 6,674,115	1/2004	Hudgens et al.	
<input checked="" type="checkbox"/>	Y3	US 6,687,427	2/2004	Ramalingam et al.	
<input checked="" type="checkbox"/>	Z3	US 6,690,026	2/2004	Peterson	
<input checked="" type="checkbox"/>	A4	US 6,696,355	2/2004	Dennison	
<input checked="" type="checkbox"/>	B4	US 6,687,153	2/2004	Lowery	
<input checked="" type="checkbox"/>	C4	US 6,707,712	3/2004	Lowery	
<input checked="" type="checkbox"/>	D4	US 6,714,954	3/2004	Ovshinsky et al.	

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ² -Number ³ -Kind Code ⁴ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁵

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kind Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

A-Jep TSM 5/4/05

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)			Complete if Known		
			Application Number	Not Yet Assigned 10/787,121	
			Filing Date	March 1, 2004	
			First Named Inventor	John T. Moore	
			Art Unit	Not Yet Assigned	
			Examiner Name	Not Yet Assigned	
Sheet	1	of	8	Attorney Docket Number	M4065.0564/P564-A

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code ² (if known)			
W	AA	5,761,115	06/02/1998	Kozicki et al. **	
W	AB	6,084,796	07/04/2000	Kozicki et al. **	
	AC	5,914,893	06/22/1999	Kozicki et al. **	
	AD	5,896,312	04/20/1999	Kozicki et al. **	
	AE	6,388,324	05/14/2002	Kozicki et al. **	
	AF	US 2002/0000666	01/03/2002	Kozicki et al. **	
	AG	5,500,532	03/19/1996	Kozicki et al. **	
	AH	6,418,049	07/09/2002	Kozicki et al. **	
	AI	5,751,012	05/12/1998	Wolstenholme et al. **	
	AJ	5,789,277	08/04/1998	Zahorik et al. **	
	AK	6,348,365	02/19/2002	Moore et al. **	
	AL	US 2002/0168820	11/14/2002	Kozicki et al. **	
W	AM	6,469,364	10/22/2002	Kozicki **	

FOREIGN PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)			
	BA	WO 02/21542	03/14/2002	Kozicki et al. **	
	BB	WO 00/48196	08/17/2000	Kozicki et al. **	
	BC	WO 97/48032	12/18/1997	Kozicki et al. **	
	BD	WO 99/28914	06/10/1999	Kozicki et al. **	

Examiner Signature	H-Jey TSA	Date Considered	5/4/05
--------------------	-----------	-----------------	--------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

¹ Applicant's unique citation designation number (optional). ² See attached Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 801.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO		Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)		Application Number	Not Yet Assigned- 787,121
		Filing Date	March 1, 2004
		First Named Inventor	John T. Moore
		Group Art Unit	Not Yet Assigned
		Examiner Name	Not Yet Assigned
		Attorney Docket Number	M4065.0564/P564-A
Sheet	2	of	8

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS			
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume/issue number(s), publisher, city and/or country where published.	T ²
	CA	Abdel-All, A.; Elshafie, A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge ₅ As ₃₈ Te ₅₇ chalcogenide glass, Vacuum 59 (2000) 845-853. **	
	CB	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189. **	
	CC	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220. **	
	CD	Affif, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se ₇₅ Ge ₂₅ -xSb _x , Appl. Phys. A 55 (1992) 167-169. **	
	CE	Affif, M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe _{1-x} , Egypt, J. Phys. 17 (1986) 335-342. **	
	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag ₂ Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139. **	
	CG	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171. **	
	CH	Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717. **	
	CI	Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089. **	
	CJ	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104. **	
	CK	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810. **	
	CL	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557. **	
	CM	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029. **	
	CN	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag ₇ GeSe ₅ I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455. **	
	CO	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267. **	
	CP	Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M/Ag ₂ Se-M, Thin solid films 70 (1980) L1-L4. **	
	CQ	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160. **	
	CR	Bernede, J.C., Switching and silver movements in Ag ₂ Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104. **	
	CS	Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64. **	
	CT	Bernede, J.C.; Conan, A.; Fousenanti, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag ₂ Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171. **	
	CU	Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al ₂ O ₃ -Ag ₂ -xSe _{1+x} thin film structures, Phys. Stat. Sol. (a) 74 (1982) 217-224. **	
	CV	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg ₄ I ₅ , Solid State Ionics 70/71 (1994) 72-76. **	
	CW	Boolchand, P., The maximum in glass transition temperature (T _g) near x=1/3 in GexSe _{1-x}	

Not considered
References are not the file Non in parent file

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO			Complete if Known		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)			Application Number	Not Yet Assigned 10/787,121	
			Filing Date	March 1, 2004	
			First Named Inventor	John T. Moore	
			Group Art Unit	Not Yet Assigned	
			Examiner Name	Not Yet Assigned	
Sheet	3	of	8	Attorney Docket Number	M4065.0564/P564-A

		Glasses, Asian Journal of Physics (2000) 9, 709-72. **
CX		Boolchand, P.; Bresser, W.J., Mobile silver ions and glass formation in solid electrolytes, Nature 410 (2001) 1070-1073. **
CY		Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703. **
CZ		Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp 97-132. **
CA1		Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420. **
CB1		Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe ₂ glass, Phys. Rev. B 25 (1982) 2975-2978. **
CC1		Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe _{1-x} glasses, Solid state comm. 45 (1983) 183-185. **
CD1		Boolchand, P.; Bresser, W.J., Compositional trends in glass transition temperature (T _g), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030. **
CE1		Boolchand, P.; Grothaus, J., Molecular Structure of Melt-Quenched GeSe ₂ and GeS ₂ glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 th (1985) 833-36. **
CF1		Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496. **
CG1		Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P., Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196. **
CH1		Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe ₂ glass, Hyperfine Interactions 27 (1986) 389-392. **
CI1		Cahen, D.; Gilet, J.-M.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room-Temperature, electric field induced creation of stable devices in CuInSe ₂ Crystals, Science 258 (1992) 271-274. **
CJ1		Chatterjee, R.; Asokan, S.; Titts, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As ₂ Te ₂ Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627. **
CK1		Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe _{1-x} films, Appl. Phys. Lett. 37 (1980) 1075-1077. **
CL1		Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936. **
CM1		Chen, G.; Cheng, J.; Chen, W., Effect of Si ₃ N ₄ on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253. **
CN1		Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891. **
CO1		Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786. **
CP1		Dalver, R.; Gill, R., Electrical properties of beta-Ag ₂ Te and beta-Ag ₂ Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756. **
CQ1		Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155. **
CR1		Deamaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191. **
CS1		Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-Se, J. Non-Cryst. Solids 143 (1992) 162-180. **
CT1		den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813. **
CU1		Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous

Not considered
References are not in the file nor in parent file.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet	4	of	8
-------	---	----	---

Complete if Known

Application Number	Not Yet Assigned 10/787,121
Filing Date	March 1, 2004
First Named Inventor	John T. Moore
Group Art Unit	Not Yet Assigned
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065.0564/P564-A

		silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-Cryst. Solids 198-200 (1996) 829-832. **
CV1		El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag ₂ -xSe _{1+x/n} -Si diodes, Thin Solid Films 110 (1983) 107-113. **
CW1		El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous Ge _x Se _{1-x} photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179. **
CX1		El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992) 259-273. **
CY1		El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe _{5.5} thin films from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460. **
CZ1		Elkady, Y.L., The threshold switching in semiconducting glass Ge ₂₁ Se ₁₇ Te ₆₂ , Indian J. Phys. 70A (1996) 507-516. **
CA2		Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97. **
CB2		Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J. Non-Cryst. Solids 137-138 (1991) 1031-1034. **
CC2		Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707. **
CD2		El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties of Ge ₂₀ Bi _x Se _{80-x} films, Thin Solid Films 376 (2000) 236-240. **
CE2		Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous chalcogenide glass, Vacuum 44 (1993) 851-855. **
CF2		Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se ₇₅ Ge ₇ Sb ₁₈ , Vacuum 43 (1992) 253-257. **
CG2		Feng, X.; Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalcogenide glasses, Phys. Rev. Lett. 78 (1997) 4422-4425. **
CH2		Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222 (1997) 137-143. **
CI2		Fischer-Colbrie, A.; Bienenstock, A.; Kuoss, P.H.; Marcus, M.A., Structure and bonding in photodiffused amorphous Ag-GeSe ₂ thin films, Phys. Rev. B 38 (1988) 12388-12403. **
CJ2		Fleury, G.; Hamou, A.; Yiger, C.; Vautier, C., Conductivity and crystallization of amorphous selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316. **
CK2		Fritzsche, H., Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst. Solids 6 (1971) 49-71. **
CL2		Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of Materials Science 2 (1972) 697-744. **
CM2		Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag ₂ Se can be synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001) currently ASAP. **
CN2		Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989) 1013-1018. **
CO2		Guin, J.-P.; Rouxel, T.; Keryvin, V.; Sangleboeuf, J.-C.; Serre, I.; Lucas, J., Indentation creep of Ge-Se chalcogenide glasses below T _g : elastic recovery and non-Newtonian flow, J. Non-Cryst. Solids 298 (2002) 260-269. **
CP2		Guin, J.-P.; Rouxel, T.; Sangleboeuf, J.-C.; Melscoet, I.; Lucas, J., Hardness, toughness, and scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002) 1545-52. **
CQ2		Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-Cryst. Sol. 3 (1970) 148-154. **

Not considered
References are not in the file nor in parent file

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete If Known

Application Number	Not Yet Assigned - 10/787,12
Filing Date	March 1, 2004
First Named Inventor	John T. Moore
Group Art Unit	Not Yet Assigned
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065.0564/P564-A

Sheet	5	of	8
-------	---	----	---

CR2	Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414. **
CS2	Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954. **
CT2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913. **
CJ2	Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061. **
CV2	Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. **
CW2	Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. **
CX2	Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. **
CY2	Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. **
CZ2	Hirose, Y.; Hirose, H., Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As ₂ S ₃ films, J. Appl. Phys. 47 (1976) 2767-2772. **
CA3	Hong, K.S.; Speyer, R.F., Switching behavior in H-IV-V ₂ amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. **
CB3	Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. **
CC3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. **
CD3	Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. **
CE3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. **
CF3	Iizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. **
CG3	Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge ₂ S ₃ , J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. **
CH3	Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. **
CI3	Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. **
CJ3	Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As ₂ Se ₇ before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109. **
CK3	Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As ₂ Se ₅ , Mat. Res. Bull. 8 (1973) 433-442. **
CL3	Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543. **
CM3	Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104. **
CN3	Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21. **
CO3	Kawasaki, M.; Kawamura, J.; Nakamura, Y.; Aniya, M., Ionic conductivity of Agx(GeSe ₃)1-x

Not considered
References are not in the file nor in parent file

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete if Known

Application Number	Not Yet Assigned 0787,121
Filing Date	March 1, 2004
First Named Inventor	John T. Moore
Group Art Unit	Not Yet Assigned
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065.0564/P564-A

Sheet	6	of	8
-------	---	----	---

(0<=x<=0.571) glasses, Solid state Ionics 123 (1999) 259-269. **

CP3	Kluge, G.; Thomas, A.; Klages, R.; Grotzschel, R., Silver photodiffusion in amorphous GexSe100-x, J. Non-Cryst. Solids 124 (1990) 186-193. **
CQ3	Kolobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731. **
CR3	Kolobov, A.V., Lateral diffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137-138 (1991) 1027-1030. **
CS3	Korkinova, Ts.N.; Andreichin, R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259. **
CT3	Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTe chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146. **
CU3	Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19. **
CV3	Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304. **
CW3	Leimer, F.; Stotzel, H.; Kottwitz, A., Isothermal electrical polarisation of amorphous GeSe films with blocking Al contacts influenced by Poole-Frenkel conduction, Phys. Stat. Sol. (a) 29 (1975) K129-K132. **
CX3	Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass, Appl. Phys. Lett. 46 (1985) 543-545. **
CY3	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1657-1662. **
CZ3	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606. **
CA4	Mazurier, F.; Levy, M.; Souquet, J.L., Reversible and irreversible electrical switching in TeO2-V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188. **
CB4	Messoussi, R.; Bernede, J.C.; Benhida, S.; Abachi, T.; Latef, A., Electrical characterization of MSe structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258. **
CC4	Mitkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21. **
CD4	Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027. **
CE4	Mitkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851. **
CF4	Miyatani, S.-y., Electronic and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423-432. **
CG4	Miyatani, S.-y., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317. **
CH4	Miyatani, S.-y., Ionic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002. **
CI4	Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17. **
CJ4	Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569. **
CK4	Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161. **
CL4	Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853. **
CM4	Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415. **

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet	7	of	8	Attorney Docket Number	M4065.0564/P564-A
-------	---	----	---	------------------------	-------------------

Complete if Known

Application Number	Not Yet Assigned 10/787,121
Filing Date	March 1, 2004
First Named Inventor	John T. Moore
Group Art Unit	Not Yet Assigned
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065.0564/P564-A

CN4	Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209. **
CO4	Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Metallurgical transactions 2 (1971) 641-645. **
CP4	Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453. **
CQ4	Owen, A.E.; LeComber, P.G.; Sarraayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54. **
CR4	Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362. **
CS4	Owen, A.E.; LeComber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906. **
CT4	Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282. **
CU4	Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223. **
CV4	Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681. **
CW4	Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537. **
CX4	Popov, A.I.; Geller, I.K.H.; Shemetova, V.K., Memory and threshold switching effects in amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73. **
CY4	Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008. **
CZ4	Rahman, S.; Sivarama Sastry, G., Electronic switching in Ge-Bi-Se-Te glasses, Mat. Sci. and Eng. B12 (1992) 219-222. **
CA5	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425. **
CB5	Rose, M.J.; Hajto, J.; LeComber, P.G.; Gage, S.M.; Choi, W.K.; Snell, A.J.; Owen, A.E., Amorphous silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170. **
CC5	Rose, M.J.; Snell, A.J.; LeComber, P.G.; Hajto, J.; Fitzgerald, A.G.; Owen, A.E., Aspects of non-volatility in a-Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080. **
CD5	Schuoocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1976) 397-407. **
CE5	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368. **
CF5	Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure and applied phys. 35 (1997) 424-427. **
CG5	Snell, A.J.; LeComber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262. **
CH5	Snell, A.J.; Hajto, J.; Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G., Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021. **
CI5	Stéventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122. **
CJ5	Stéventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329. **
CK5	Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. Lett. 15 (1969) 55-57. **
CL5	Tanaka, K., Ionic and mixed conduction in Ag photodoping process, Mod. Phys. Lett B 4 (1990)

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet	8	of	8
-------	---	----	---

Complete if Known

Application Number	Not Yet Assigned <i>10/787,121</i>
Filing Date	March 1, 2004
First Named Inventor	John T. Moore
Group Art Unit	Not Yet Assigned
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065.0564/P564-A

		1373-1377. **	
	CM5	Tanaka, K.; Iizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389. **	
	CN5	Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15. **	
	CO5	Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120. **	
	CP5	Thornburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(?) (1972) 4609-4612. **	
	CQ5	Tichy, L.; Ticha, H., Remark on the glass-forming ability in $GexSe_{1-x}$ and $AsxSe_{1-x}$ systems, J. Non-Cryst. Solids 261 (2000) 277-281. **	
	CR5	Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te glasses, Phys. Rev. B 48 (1993) 14650-14652. **	
	CS5	Tranchant, S.; Peytavin, S.; Ribes, M.; Flank, A.M.; Dexpert, H.; Lagarde, J.P., Silver chalcogenide glasses Ag-Ge-Se: ionic conduction and exafs structural investigation, Transport-structure relations in fast ion and mixed conductors Proceedings of the 6th Riso International symposium. 9-13 September 1985. **	
	CT5	Tregouet, Y.; Bernede, J.C., Silver movements in Ag_2Te thin films: switching and memory effects, Thin Solid Films 57 (1979) 49-54. **	
	CU5	Uemura, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally induced crystallization of amorphous $Ge_{0.4}Se_{0.6}$, J. Non-Cryst. Solids 117-118 (1990) 219-221. **	
	CV5	Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370. **	
	CD5	Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. Non-Cryst. Solids 33 (1976) 267-272. **	
	CX5	Vodenicharov, C.; Parvanov, S.; Petkov, P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454. **	
	CY5	Wang, S.-J.; Misium, G.R.; Camp, J.C.; Chen, K.-L.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992) 471-472. **	
	CZ5	Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73. **	
	CA6	West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the $Ag_{1.0}As_{0.24}S_{0.36}Ag_{0.40}Ag$ System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974. **	
	CB6	West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998. **	
	CC6	Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, T_g , with average coordination number, $\langle m \rangle$, in network glasses: evidence of a threshold behavior in the slope $[dT_g/d\langle m \rangle]$ at the rigidity percolation threshold ($\langle m \rangle = 2.4$), J. Non-Cryst. Solids 151 (1992) 149-154. **	

Examiner Signature	<i>H. Jay T. 1910</i>	Date Considered	<i>5/4/05</i>
--------------------	-----------------------	-----------------	---------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.